EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:20
S2	2	((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in. AND intrusion. clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:21
S3	149	726/23.ccls. AND (IDS (intrusion near3 (detect$4 prevent$4))).ab. AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:31
S10	23	(IDS (intrusion near3 (detect $4 prevent$4))).ab. AND ((test$4 replicat$4 clon$4 simulat$4) with block$4 with (package communicat$4 connect$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:43
S11	17	(IDS (intrusion near3 (detect $4 prevent$4))).clm. AND ((test$4 replicat$4 clon$4 simulat$4) with (detect$4 examin$6 check$4 determin $4) with (packet communicat $4 connect$4) with ((drop$4 block$4 allow$4) near4 (session communicat$4 connect$4 packet))) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S12	6	"726"/$.ccls. AND (IDS (intrusion near3 (detect$4 prevent$4))).ab. AND ((test $4 replicat$4 clon$4 simulat $4) with block$4 with (packete communicat$4 connect$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54

S13	10	"726"/$.ccls. AND (IDS (intrusion near3 (detect$4 prevent$4))).ab. AND ((test $4 replicat$4 clon$4 simulat $4) with block$4 with (packet communicat$4 connect$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S14	4	726/23.ccls. AND (IDS (intrusion near3 (detect$4 prevent$4))).ab. AND ((test $4 replicat$4 clon$4 simulat $4) with block$4 with (packet communicat$4 connect$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S15	10	"726"/$.ccls. AND (IDS (intrusion near3 (detect$4 prevent$4))).ab. AND ((test $4 replicat$4 clon$4 simulat $4) with block$4 with (packet communicat$4 connect$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S16	4	"713"/$.ccls. AND (IDS (intrusion near3 (detect$4 prevent$4))).ab. AND ((test $4 replicat$4 clon$4 simulat $4) with block$4 with (packet communicat$4 connect$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S17	2	"370"/$.ccls. AND (IDS (intrusion near3 (detect$4 prevent$4))).ab. AND ((test $4 replicat$4 clon$4 simulat $4) with block$4 with (packet communicat$4 connect$4 stream)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 20:54
S20	68	(IDS (intrusion near3 (detect $4 prevent$4))).ab. AND (((simulat$4 test$4) (copy$4 clon$4)) near5 (packet message) same ((drop$4 block$4 forward$4 re$2direct $4 allow$4) near5 (message packet session connect$4))) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/19 21:08

S27	10	(IDS (intrusion near3 (detect$4 prevent$4)) ((virus worm attack$4 hack$4 malicious mal$2ware$2) near4 (detect$4 scan$4))).ab. AND ((test$4 replicat$4 clon$4 simulat$4) with (detect$4 examin$6 check$4 determin$4) with (packet communicat$4 connect$4) with ((drop$4 block$4 allow$4) near4 (session communicat$4 connect$4 packet))) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 13:42
S28	20	(IDS (intrusion near3 (detect$4 prevent$4)) ((virus worm attack$4 hack$4 malicious mal$2ware$2) near4 (detect$4 scan$4))).ab. AND ((test$4 replicat$4 clon$4 simulat$4) with (detect$4 examin$6 check$4 determin$4) with (packet communicat$4 connect$4) same ((drop$4 block$4 allow$4) near4 (session communicat$4 connect$4 packet))) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 13:59
S29	14	(IDS (intrusion near3 (detect$4 prevent$4)) ((virus worm attack$4 hack$4 malicious mal$2ware$2) near4 (detect$4 scan$4))).ab. AND ((test$4 replicat$4 clon$4 simulat$4) with (detect$4 examin$6 check$4 determin$4) with (packet communicat$4 connect$4) same ((drop$4 block$4 allow$4) near4 (session communicat$4 connect$4 packet))) AND ((simulat$4 test$4 replicat$4 duplicat$4 clon$4 copy$4 copied) near6 (system machine device packet message) with (virus worm attack$4 hack$4 malicious mal$2ware$2 DoS IDS firewall)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:02

| S30 | 14 | (IDS (intrusion near3 (detect $4 prevent$4)) ((virus worm attack$4 hack$4 malicious mal$2ware$2) near4 (detect $4 scan$4))).clm. AND ((test $4 replicat$4 clon$4 simulat $4) with (detect$4 examin$6 check$4 determin$4) with (packet communicat$4 connect$4) same ((drop$4 block$4 allow$4) near4 (session communicat$4 connect$4 packet))) AND ((simulat$4 test$4 replicat$4 duplicat$4 clon$4 copy$4 copied) near6 (system machine device packet message) with (virus worm attack$4 hack$4 malicious mal$2ware$2 DoS IDS firewall)) AND (@ad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/22 14:03 |
| S31 | 4 | (IDS (intrusion near3 (detect $4 prevent$4)) ((virus worm attack$4 hack$4 malicious mal$2ware$2) near4 (detect $4 scan$4))).clm. AND ((test $4 replicat$4 clon$4 simulat $4) with (detect$4 examin$6 check$4 determin$4) with (packet communicat$4 connect$4) same ((drop$4 block$4 allow$4) near4 (session communicat$4 connect$4 packet))) AND ((simulat$4 test$4 replicat$4 duplicat$4 clon$4) near6 (system machine device) with (threat$4 virus worm attack$4 hack$4 malicious mal$2ware$2 DoS IDS firewall)) AND (@ad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/22 14:12 |

S32	20	(IDS (intrusion near3 (detect $4 prevent$4)) ((virus worm attack$4 hack$4 malicious mal$2ware$2) near4 (detect $4 scan$4))) AND ((test$4 replicat$4 clon$4 simulat$4) with (detect$4 examin$6 check$4 determin$4) with (packet communicat$4 connect$4) same ((drop$4 block$4 allow$4) near4 (session communicat$4 connect$4 packet))) AND ((simulat$4 test$4 replicat$4 duplicat$4 clon$4) near6 (system machine device) with (threat$4 virus worm attack$4 hack$4 malicious mal$2ware$2 DoS IDS firewall)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/22 14:14
S34	20	((simulat$4 replicat$4 duplicat$4 clon$4 test$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect$4 prevent$4)) ((scan$4 detect$4) near4 (virus worm threat$4 attack malicious hack$4 DoS))))) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4) near5 (message packet session connect$4) with (virus worm threat$4 attack malicious hack$4 DoS)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 08:54
S35	28	((simulat$4 replicat$4 duplicat$4 clon$4 test$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect$4 prevent$4)) ((scan$4 detect$4) near4 (virus worm threat$4 attack malicious hack$4 DoS))))) AND ((drop$4 terminat$4 block$4 forward$4 re$2direct $4 allow$4) near5 (message packet session connect$4) with (virus worm threat$4 attack malicious hack$4 DoS)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 08:54

S36	4	"6279113".pn. "5557742".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:18
S37	52	((simulat$4 replicat$4 duplicat$4 clon$4 test$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect$4 prevent$4)) ((scan$4 detect$4) near4 (virus worm threat$4 attack malicious hack$4 DoS))))) AND ((direct$4 re$2direct$4) near7 (test$4 similat$4) near5 (system server machine host client computer device PC)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow$4) near5 (message packet session connect$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:23
S38	66	((simulat$4 replicat$4 duplicat$4 clon$4 test$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect$4 prevent$4)) ((scan$4 detect$4) near4 (virus worm threat$4 attack malicious hack$4 DoS))))) AND ((direct$4 re$2direct$4) near5 (test$4 similat$4 duplicat$4 replicat$4) near5 (system server machine host client computer device PC)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow$4) near5 (message packet session connect$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:24
S39	9	("5557742" | "6279113" | "6408391" | "6513122").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:35

S40	4	(baehr near3 geoffrey).in. AND (packet near2 filter$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 09:57
S48	8	("5832208" "6088803" "5960170" "6205551").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:02
S49	126	(IDS (intrusion near3 (detect $4 prevent$4))).ab. AND (((simulat$4 test$4) (copy$4 clon$4)) near5 (packet message) same (drop$4 block$4 forward$4 re$2direct $4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:10
S50	2	(ramsey near3 jon).in. AND security.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 10:14
S51	109	((updat$4 add$4) near4 (virus near3 signature)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:33
S52	32	((updat$4 add$4) near4 (virus near3 signature) with (host client PC computer)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:33
S53	3	((updat$4 add$4) near4 (virus near3 signature) with (host client PC computer) same pattern) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/23 14:35
S54	135	(IDS (intrusion near3 (detect $4 prevent$4))).ab. AND (((simulat$4 test$4) (copy$4 clon$4 replicat$4)) near5 (packet message) same (drop $4 block$4 forward$4 re $2direct$4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:51

S55	27	(IDS (intrusion near3 (detect $4 prevent$4))).ab. AND ((((simulat$4 test$4) (copy$4 clon$4 replicat$4)) near5 (machine host network PC computer laptop phone device) with (packet message) same (drop$4 block$4 forward$4 re$2direct $4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:52
S56	614	(IDS (intrusion near3 (detect $4 prevent$4))) AND ((((simulat$4 test$4) (copy$4 clon$4 replicat$4)) near5 (machine host network PC computer laptop phone device)).ab. AND ((packet message) with (drop$4 block $4 forward$4 re$2direct$4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:56
S57	3	(IDS (intrusion near3 (detect $4 prevent$4))) AND ((simulat$4 test$4) with (copy$4 clon$4 replicat$4) near5 (system machine host network PC computer laptop phone device)).ab. AND ((packet message communicat$4) with (simulat $4 test$4) with (drop$4 block $4 forward$4 re$2direct$4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 15:58
S59	4	(IDS (intrusion near3 (detect $4 prevent$4))) AND ((simulat$4 test$4) with (copy$4 clon$4 replicat$4) near5 (system machine host network PC computer laptop phone device)).clm. AND ((packet message communicat$4) with (simulat $4 test$4) with (drop$4 block $4 forward$4 re$2direct$4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:52

S60	6	(IDS (intrusion near3 (detect$4 prevent$4))) AND ((simulat$4 test$4) with (copy$4 clon$4 replicat$4 duplicat$4) near5 (system machine host network PC computer laptop phone device)).clm. AND ((packet message communicat$4) with (simulat$4 test$4) with (drop$4 block$4 forward$4 re$2direct$4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:52
S61	55	(IDS (intrusion near3 (detect$4 prevent$4))) AND ((simulat$4 test$4) with (copy$4 clon$4 replicat$4 duplicat$4) near5 (system machine host network PC computer laptop phone device)) AND ((packet message communicat$4) with (simulat$4 test$4) with (drop$4 block$4 forward$4 re$2direct$4 allow$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 11:53
S62	24	((IDS (intrusion near3 (detect$4 prevent$4)) ((detect$4 prevent$4 scan$4) near5 (virus threat malicious attack$4 vulnerab$6 worm malware))) with (simulat$4 replicat$4 clon$4)).ab. AND ((drop$4 block$4 forward$4 discard$4 re$2direct$4 allow$4) near5 (message packet session connect$4)) AND (@ad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 15:29
S63	109	(honeypot) AND ((detect$4 scan$4 determin$4 identify$4) near5 (threat virus malicious attack$4 malware worm vulnerabl$6)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 15:37

S64	89	(honeypot) AND ((detect$4 scan$4 determin$4 identify $4) near5 (threat virus malicious attack$4 malware worm vulnerabl$6)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow$4 discard $4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 15:38
S65	57	((honeypot decoy) with (inspect$4 detect$4 scan$4 determin$4 identify$4) with (threat virus malicious attack $4 malware worm vulnerabl $6)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:00
S66	183	((honeypot decoy simulat$4 ((test$4 duplicat$4 copy$4 replicat$4 clon$3) near4 (system unit machine server host cluster))) with (inspect $4 detect$4 scan$4 determin $4 identify$4) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:27
S67	60	((honeypot decoy simulat$4 ((test$4 duplicat$4 copy$4 replicat$4 clon$3) near4 (system unit machine server host cluster))) with (inspect $4 detect$4 scan$4 determin $4 identify$4) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication)). clm. AND(@ad<"20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:29

		@rlad<"20031030")				
S68	206	((honeypot decoy simulat$4 ((test$4 duplicat$4 copy$4 replicat$4 clon$3) near6 (system unit machine server host cluster))) with (inspect $4 detect$4 scan$4 determin $4 identify$4) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication)) AND(@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:28
S69	307	((honeypot decoy simulat$4 ((test$4 duplicat$4 copy$4 replicat$4 clon$3) near6 (system unit machine server host cluster))) with (inspect $4 detect$4 scan$4 determin $4 identify$4) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication data information)) AND ((inspect$4 detect$4 scan$4 determin$4 identify$4) with (packet message communication data information) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:31
S70	301	((honeypot decoy simulat$3 ((test$3 duplicat$3 copy$3 replicat$3 clon$3) near6 (system unit machine server host cluster))) with (inspect $4 detect$4 scan$4 determin $4 identify$4) with (threat virus malicious attack$3 malware worm vulnerabl$6)) AND ((drop$3 block$3 forward$3 re$2direct$3 allow $3 discard$3) near6 (packet message communication data information)) AND ((inspect$3 detect$3 scan$4 determin$3 identify$3) with	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:34

		(packet message communication data information) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND (@ad<"20031030" @rlad<"20031030")				
S71	77	((honeypot decoy simulat$3 ((test$3 duplicat$3 copy$3 replicat$3 clon$3) near6 (system unit machine server host cluster))) with (inspect $4 detect$4 scan$4 determin $4 identify$4) with (threat virus malicious attack$3 malware worm vulnerabl$6)) AND ((drop$3 block$3 forward$3 re$2direct$3 allow $3 discard$3) near6 (packet message communication data information)) AND ((inspect$3 detect$3 scan$4 determin$3 identify$3) with (packet message communication data information) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND ((drop$3 block$3 forward$3 re$2direct$3 allow $3 discard$3) near6 (packet message communication data information)).clm. AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:36
S72	60	((honeypot decoy simulat$4 ((test$4 duplicat$4 copy$4 replicat$4 clon$3) near4 (system unit machine server host cluster))) with (inspect $4 detect$4 scan$4 determin $4 identify$4) with (threat virus malicious attack$4 malware worm vulnerabl$6)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication)) AND ((drop$4 block$4 forward$4 re$2direct$4 allow $4 discard$4) near6 (packet message communication)). clm. AND(@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:37

S73	24	S71 not S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 20:37
S74	224	S70 not S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 21:22
S75	2	"5907696".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 22:09
S76	44	((honeypot ((test$3 duplicat$3 copy$3 replicat$3 clon$3 decoy simulat$3 imitat$3 vicarious) near6 (system unit machine server host cluster))) with ((inspect$4 detect$4 scan$4 determin$4 identify$4) near5 (threat virus malicious attack$3 malware worm vulnerabl $6))) AND ((drop$3 block$3 forward$3 re$2direct$3 allow$3 discard$3) near6 (packet message communication data information) with (virus attack$3 normal anomal$2 abnomal$2 defect$3 affect$3 worm threat$3 malicous malware)) AND ((inspect$3 detect$3 scan$4 determin$3 identify$3) with (packet message communication data information) with (threat virus malicious attack$4 malware worm vulnerabl $6)) AND ((drop$3 block$3 forward$3 re$2direct$3 allow$3 discard$3) near6 (packet message communication data information)).clm. AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 22:59

S77	378	((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packaet email e?mail) same (drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 06:44
S78	30	((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packaet email e?mail) same (drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4)) AND ((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packaet email e?mail) same (drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4)).clm. AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 06:45
S79	54	((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packaet email e?mail)).ab. AND ((scan $4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packaet email e?mail) same (drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:03

S80	110	((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packaet email e?mail)).ab. AND ((scan $4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packaet email e?mail) same (drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4 divert$4 $3direct$4 forward$4 pass $3)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:04
S81	56	S80 not S79	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:05
S82	51	S79 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 07:05
S83	48	("4577313" | "5550984" | "5559883" | "5590285" | "5606668" | "5623601").PN. OR ("5878231").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/23 09:07
S84	92	((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message communication packet) same (drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4)) AND ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2) near5 (device system host server machine computer PC) same (virus worm threat attack$3 malicious vulnerab $6 amomal$4 malware)) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 09:15

| S85 | 8 | ((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message data communication packet)) AND ((drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4) near5 (packet message communication session) same (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware)) AND (($3direct$3 divert$4 forward$4 transmit $4) near5 (packet message communication) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:21 |
| S86 | 8 | ((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message data communication packet)) AND ((drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4) near5 (packet message communication session) same (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware)) AND (($3direct$3 divert$4 forward$4 transmit $4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:21 |

| S87 | 10 | ((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message data communication packet)) AND ((drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4) near5 (packet message communication session data request) same (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware)) AND (($3direct $3 divert$4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:21 |
| S88 | 71 | ((scan$4 detect$3 check$3 determin$5 exam$5) near5 (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware) with (message data communication packet)) AND ((drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4) near5 (packet message communication session data request) same (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware)) AND (($3direct $3 divert$4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:32 |

| S89 | 102 | ((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)) AND ((drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4) near5 (packet message communication session data request) same (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware)) AND (($3direct $3 divert$4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:33 |
| S90 | 110 | ((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)) AND ((drop$4 discard$3 delect$4 block$3 ignor$3 terminat$4) near5 (packet message communication session data request) same (virus worm threat attack$3 malicious vulnerab$6 amomal $4 malware)) AND (($3direct $3 divert$4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:35 |

S91	323	((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)) AND (($3direct$3 divert$4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 10:05
S92	46	((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)).clm. AND (($3direct$3 divert$4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 10:06
S93	34	((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)).ab. AND (($3direct$3 divert$4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad<"20031030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/23 10:18

		@rlad<"20031030")				
S94	34	((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)). ab. AND (($3direct$3 divert $4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy test) near5 (device system host server machine computer PC network))) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/04 16:49
S95	47	((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)). clm. AND (($3direct$3 divert $4 forward$4 transmit$4) near5 (packet message communication data request) with ((decoy duplicat$3 replicat$3 clon$3 simulat$3 vicarius imitat$3 mimic$2 proxy test) near5 (device system host server machine computer PC network))) AND (@ad<"20031030" @rlad<"20031030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/04 16:53
S96	71	((scan$4 detect$3 check$3 determin$5 exam$5 identif$4 pars$3) with (virus worm threat attack$3 malicious vulnerab$6 amomal$4 malware) with (message data communication packet)). ab. AND ((decoy duplicat$3 replicat$3 clon$3 honeypot honeynet (honey adj (pot net))) with (simulat$3 vicarius imitat$3 mimic$2 proxy test$4 detect$4 identify $4 scan$4) with (virus attack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/28 10:33

		$3 malicious malware threat worm)) AND (@ad<"20031030" @rlad<"20031030")					

EAST Search History (Interference)

<This search history is empty>

12/28/2011 12:57:22 PM
C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\10\10-576-250.wsp